



Legacy Manufacturing Company
6281 North Gateway Dr.
Marion, IA 52302
Ph: 800.645.8258
www.legacymfg.com

FLEXZILLA®

PRODUCT LINE





6281 North Gateway Dr.
 Marion, IA 52302 U.S.A.
 800.645.8258
 www.legacymfg.com

Legacy™ Manufacturing Company

offers a wide range of professional grade service and maintenance equipment for the Automotive, Industrial, Contractor, Agricultural, & Marine markets. Because we maintain a high standard in the equipment offered, our customers have come to know Legacy as a manufacturer of quality and reliable products.

At Legacy™, product development begins with a focus on the end user. With a relentless passion for problem solving, Legacy™ leads the industry in providing products that are not only affordable but help solve problems that occur in the field.

Flexzilla® Air Hose



Flexzilla® Air Hose features:

- Engineered hybrid polymer air hose
- Superior flexibility
- 300 psi working pressure
- Excellent abrasion resistance
- Reinforced bend restrictor
- Temperature range: -40° to 150° F

Part

Description

| | |
|-------------|-------------------------------------|
| HFZ1225YW3 | 1/2" x 25' air hose - 3/8 in. MNPT |
| HFZ1250YW3 | 1/2" x 50' air hose - 3/8 in. MNPT |
| HFZ12100YW3 | 1/2" x 100' air hose - 3/8 in. MNPT |
| HFZ1425YW2 | 1/4" x 25' air hose - 1/4 in. MNPT |
| HFZ1450YW2 | 1/4" x 50' air hose - 1/4 in. MNPT |
| HFZ14100YW2 | 1/4" x 100' air hose - 1/4 in. MNPT |
| HFZ3825YW2 | 3/8" x 25' air hose - 1/4 in. MNPT |
| HFZ3850YW2 | 3/8" x 50' air hose - 1/4 in. MNPT |
| HFZ38100YW2 | 3/8" x 100' air hose - 1/4 in. MNPT |

ZillaReel™



Designed for portability for use anywhere on the job site.

Hose Reel features:

- Hose Layering Guide
- Support Legs
- Carrying Handle
- Mounting Bracket

*See bottom of page 1 for Flexzilla® air hose features

| Part # | Description |
|---------|---|
| L8651FZ | 3/8 in. x 50 ft. portable air reel, manual layering guide w/ Flexzilla® air hose, 1/4 in. MNPT ends |

ZillaWhip™



WHY USE A ZillaWhip™

- Increases longevity of the main hose
- Reduces user fatigue by eliminating weight of coupler/plug
- Ball swivel increases mobility in tight work spaces

*See bottom of page 1 for Flexzilla® air hose features

| Part # | Description |
|-------------|---------------------------------------|
| HFZ3802YW2B | 3/8 in. x 2 ft. ball swivel whip hose |
| HFZ3804YW2B | 3/8 in. x 4 ft. ball swivel whip hose |
| HFZ3806YW2B | 3/8 in. x 6 ft. ball swivel whip hose |

*All sizes feature 1/4 in. FNPT x 1/4 in. MNPT ball swivel

Flexzilla® Pressure Washer Hose



3/8" male fittings

M22 fittings

- 3/8 in. hose offers 3/8 in male rigid & swivel fitting with female adapter included
- 5/16 in hose offers M22 connections
- Dual overbraid technology
 - Polyester braid over inner tube
 - Brass-coated steel braid over the polyester
- Designed for professional-duty cold water pressure washers
- Clear polyurethane "non-marring" outer jacket
- Rated up to 4,000 PSI for 3/8 in. hose
- Rated up to 3,600 PSI for 5/16 in hose
- Temp. range: up to 140° F

Flexibility Surpasses the Competition!

| Part # | Description |
|--------------|-------------------------------------|
| HFZ332540YW | 3/8 in. x 25 ft. - 3/8 in. fittings |
| HFZ335040YW | 3/8 in. x 50 ft. - 3/8 in. fittings |
| HFZ5222540YW | 5/16 in. x 25 ft. - M22 connections |
| HFZ5225040YW | 5/16 in. x 50 ft. - M22 connections |

Levelwind™ Flexzilla® Hose Reel



Over two decades of industry knowledge and experience goes into the development of the Levelwind™ series of reels.

See Levelwind™ features below

Levelwind™ Technology -

This unique winding system automatically layers hose back and forth across the reel. This ensures that the hose is coiled smoothly, easily ... every time!

Adjustable Hose Stopper -

Increase or decrease the length of the hose that remains when hose is fully retracted

Seven Position Locking Bracket -

These reels can swivel freely on a mounting bracket up to 135° or can be locked into place using the locking brace. Up to seven different locking angles can be utilized

Latching Mode Switch -

Choose from latching hose every 3 ft. for extended use or switch to free run for immediate automatic rewinding

Extra Large Swivel -

A 3/4 in. swivel inlet reduces flow restrictions and allows for maximum flow

Free Standing Base -

Portable! Use freestanding or mounted on wall or ceiling ... flat base allows reel to rest on ground. Built-in handle for carrying ease!

Durable Construction -

Made from durable UV-stabilized polypropylene

Flexzilla® Air Hose -

Engineered hybrid polymer air hose with superior flexibility. *See bottom of page 1 for complete air hose features*

| Part # | Description |
|---------|--|
| L8305FZ | Levelwind™ retractable air hose reel with 3/8 in. ID X 50 ft. Flexzilla® hose. |
| L8306FZ | Levelwind™ retractable air hose reel with 3/8 in. ID X 75 ft. Flexzilla® hose. |

Flexzilla® 11pc. Air Compressor Kit —



Kit Includes:

- 3/8 in. x 50 ft. Flexzilla® Air Hose
- Safety Blow Gun (1/4 in. inlet)
- Tire Gauge
- Air Chuck
- 3 - Male Plugs (1/4 in. MNPT)
- 2 - Female Plugs (1/4 in. FNPT)
- Male Coupler (1/4 in. MNPT)
- Female Coupler (1/4 in. FNPT)

* Type D (Red) - Industrial couplers/plugs shown

Couplers/Plugs also available in:

* Type B (Green) - ARO

* Type C (Blue) - Automotive

* Accessories shown also available in green & blue

FLEXZILLA®

Flexzilla® Air Hose features:

- Engineered hybrid polymer air hose
- Superior flexibility
- 300 psi working pressure
- Excellent abrasion resistance
- Reinforced bend restrictor
- Temperature range: -40° to 150° F

ColorConnex®

Color Code System for Standard Interchanges

This unique system allows for easy, color-to-color matching of couplers and plugs among standard pneumatic interchanges. Also solves the problem of potential crossing and contaminating of different air lines.

Dedicate Hose Applications

By using color to dedicate your different air lines, a lubricated line will never be used for a dry line application as long as your couplers and plugs match.

| Part # | Description |
|-----------|--|
| HFZCLB11D | Flexzilla® 11pc Air Compressor Kit w/ Type D - Industrial ColorConnex® set |
| HFZCLB11C | Flexzilla® 11pc Air Compressor Kit w/ Type C - Automotive ColorConnex® set |
| HFZCLB11B | Flexzilla® 11pc Air Compressor Kit w/ Type B - ARO ColorConnex® set |

Flexzilla® Premium Water Hose —



FLEXZILLA®

Premium Hybrid Polymer Water Hose

- Extreme all-weather flexibility (-40° to 150° F)
- Abrasion resistant
- Crush proof nickel plated male & female fittings
- Rugged bend restrictors
- 3/4 in. - 1 1/2 GHT fittings
- Lightweight
- Coils Easily
- Internal Kink resistant rib

| Part # | Description |
|---------------|--|
| HFZW5850YW34 | 5/8 in. ID x 50 ft. Flexzilla® Premium Water Hose |
| HFZW5875YW34 | 5/8 in. ID x 75 ft. Flexzilla® Premium Water Hose |
| HFZW58100YW34 | 5/8 in. ID x 100 ft. Flexzilla® Premium Water Hose |